



Ricin: Technical Background and Potential Role in Terrorism

-name redacted-

Specialist in Science and Technology Policy

-name redacted-

Specialist in Science and Technology Policy

April 19, 2013

Congressional Research Service

7-....

www.crs.gov

RS21383

Summary

In April 2013, envelopes sent to President Obama and a U.S. Senator tested positive for ricin, a deadly toxin derived from castor beans. Ricin has been identified as a potential bioweapon. Ricin is extremely toxic by ingestion, inhalation, and injection. No treatment or prophylaxis currently exists, though research into new therapies and vaccines against ricin exposure continues. Additionally, research to improve ricin detection is ongoing. Although governments have investigated ricin's potential use as a military weapon, individuals have used ricin in small quantities. Most experts believe that ricin would be difficult to use as a weapon of mass destruction, but do not discount its potential as a weapon of terror. Ricin is a select agent, and its possession, transfer, or use is regulated under domestic and international law. This report will not be updated.

Contents

Introduction.....	1
General Information.....	1
How Is Ricin Obtained?	1
Effects of Ricin.....	1
Detection and Treatment.....	2
Pre-exposure Treatment.....	2
Post-exposure Treatment	3
Examples of Ricin’s Use.....	3
Ricin as a Weapon of Terror Rather than Mass Destruction.....	4
Current Regulation.....	5

Contacts

Author Contact Information.....	5
---------------------------------	---

Introduction

In April 2013, envelopes sent to President Obama and a U.S. Senator tested positive for ricin, a deadly toxin derived from castor beans. Ricin is often mentioned as a potential bioterror weapon and has been posed a terrorist and criminal threat. For example, in 2010, CBS News reported that the Department of Homeland Security had uncovered a credible threat of attacks using poisons, such as ricin, in salad bars and buffets,¹ and historically unknown individuals have sent letters and packages containing ricin to federal officials.² This report provides general information about ricin, identifies historical examples of its use, discusses its potential as a bioterror weapon, and summarizes how its possession is currently regulated.

General Information

Ricin is a potent plant toxin found in the seeds of the castor plant (*Ricinus communis*). It works by blocking cell protein synthesis, which results in cell death. This cell death can lead to organ failure and death.³

How Is Ricin Obtained?

Several well-known processes describe isolation of ricin from castor beans. Several recipes for extracting ricin from castor beans are available on the Internet, from commercial bookstores, in patents, and in scientific literature. The industrial production of castor oil yields bean mash with approximately 5% ricin content. The quality of these directions varies. Some directions would produce only crude preparations while others would produce nearly pure ricin.⁴ Even the crude preparations have been considered deadly.⁵

Effects of Ricin

Persons exposed to ricin exhibit different symptoms depending on the route of exposure. Ingestion of ricin causes nausea, vomiting, diarrhea, gastric hemorrhaging, and shock. With a sufficient dose, death occurs within three to five days. Injection of ricin produces severe internal bleeding and tissue death, which can result in the collapse of major organ systems. Death often follows such a collapse. Inhalation of ricin irritates the lung linings and airways, leading to

¹ Armen Keteyian, "Latest Terror Threat in US Aimed to Poison Food," *CBSNews.com*, December 20, 2010.

² Federal Bureau of Investigation, Department of Justice, "Ricin Letter," *Press Release*, February 23, 2004.

³ Jennifer Audi, et al., "Ricin Poisoning: A Comprehensive Review," *Journal of the American Medical Association*, 2005, Vol. 294, pp. 2342-2351.

⁴ The effectiveness of two well-publicized methods was examined in René Pita, et al., "Extraction of Ricin by Procedures Featured on Paramilitary Publications and Manuals Related to the Al Qaeda Terrorist Network," *Medicina Militar (España)*, Vol. 60, 2004, pp. 172-175.

⁵ In 1997, Thomas Leahy was convicted for possessing 0.7 grams of a powder that was approximately 4 percent ricin. Department of Justice officials stated that this was equal to 125 lethal doses of ricin. See W. Seth Carus, *Bioterrorism and Biocrimes: The Illicit Use of Biological Agents Since 1900*, (Washington, DC: Center for Counterproliferation Research, National Defense University) 2001, pp. 97-98.

weakness and fever. Lesions may occur in the lungs causing tissue swelling, further damage, and possibly death.⁶

The lethal dosage of ricin depends on the route of exposure. Inhaled or injected doses as low as 3 to 5 micrograms per kilogram body weight may be lethal.⁷ This dose equals approximately 240 to 400 micrograms for a 175-pound individual.⁸ The lethal dosage for ingestion is higher because the gastrointestinal tract absorbs ricin less effectively. Ricin does not poison through contact with intact skin.

Detection and Treatment

Several currently available methods can detect the release of ricin. Potential field detectors include automated air samplers that could detect the release of aerosolized ricin and swab-type tests that could signal the presence of ricin on surfaces. Highly sensitive laboratory-based tests can be performed on samples gathered on site. Some locations, such as postal facilities processing congressional mail, have implemented detection systems. Generally though, such detectors are not widely implemented in civilian settings. Health care workers diagnosing ricin poisoning may be a leading signal of a covert ricin attack.

When detection systems indicate the presence of ricin, laboratories participating in the Centers for Disease Control and Prevention Laboratory Response Network perform confirmatory testing using a variety of methods. These methods test for the presence of components of the castor bean, the presence of ricin, and the whether any ricin might be toxic. A test showing the presence of castor bean components is preliminary and confirmed through detection of ricin toxin. Tests to identify presence of castor bean components and ricin toxin require six to eight hours to perform, while determining the toxicity of the ricin may take 48 hours or more.

Pre-exposure Treatment

No ricin vaccine is currently available for use by the general public. The Department of Defense has investigated vaccines in animal studies and engaged in human safety studies under Investigational New Drug (IND) protocols.⁹ Other research continues in the academic and private sectors to develop new vaccines.¹⁰ Additionally, animal studies suggest that passive prophylaxis, (i.e., injecting animals with antibodies obtained from other immunized animals), is effective

⁶ See David R. Franz and Nancy K. Jaax, "Ricin Toxin," *Medical Aspects of Chemical and Biological Warfare*, (Washington, DC: Borden Institute, Walter Reed Army Medical Center) 1997, Chapter 32, pp. 631-642; and Jennifer Audi et al., op. cit.

⁷ A microgram is equal to a millionth of a gram.

⁸ David R. Franz and Nancy K. Jaax, op. cit.

⁹ See, for example, United States Army Medical Research Institute of Infectious Diseases, Department of Defense, "USAMRIID Begins Clinical Trial of New Vaccine to Protect Against Ricin Toxin," *Press Release*, April 13, 2011.

¹⁰ See, for example, Soligenix, Inc., "Soligenix Receives FDA Orphan Drug Designation for RiVax for the Prevention of Ricin Intoxication," *Press Release*, January 21, 2011.

against injected and ingested ricin.¹¹ For inhaled ricin, the most effective prophylaxis appears to be through vaccination.¹²

Post-exposure Treatment

No medicine has been approved specifically to treat ricin exposure. The progressive nature of the toxin's effects requires hospitalization and continual supportive care. In cases of ingestion, the recommended treatment of activated charcoal limits the ricin exposure. Stomach pumping may be considered if it can be performed within an hour of ingestion.¹³ Researchers continue to attempt to find new, more effective treatments for ricin exposure.¹⁴

Examples of Ricin's Use

Ricin has been considered for use as a weapon since at least 1918, when military programs investigated the feasibility of bomb-dissemination of aerosolized ricin.¹⁵ Such a weapon was reportedly developed by the United States and the United Kingdom, but never used.¹⁶ Iraq reportedly attempted to weaponize ricin in the 1980s.¹⁷

In 1978, ricin was used to assassinate Bulgarian dissident Georgi Markov in London. A novel, umbrella-based weapon was used to inject a pellet containing ricin into Markov. Shortly after this episode, a similar pellet was discovered to be the source of illness of another Bulgarian exile, Vladimir Kostov.

Some individuals attempting to possess ricin, generally through its manufacture in makeshift laboratories, have been arrested and subsequently convicted of violations of the Biological Weapons Anti-Terrorism Act (P.L. 101-298).¹⁸ For example, in 2008, a man in Las Vegas poisoned himself manufacturing ricin in a hotel room. He survived the poisoning and was subsequently convicted of possession of a biological toxin.¹⁹ In other cases, unidentified individuals have sent ricin to government officials. In October 2003 a letter containing ricin

¹¹ Seth H. Pincus, et al., "Passive and Active Vaccination Strategies to Prevent Ricin Poisoning," *Toxins*, 2011, Vol. 3, pp. 1163-1184.

¹² David R. Franz and Nancy K. Jaax, op. cit.

¹³ Jennifer Audi et al., op. cit.

¹⁴ See, for example, Sophie Rovner, "A Shield Against Ricin," *Chemical and Engineering News*, Volume 88, Number 16, April 19, 2010.

¹⁵ Charles B. Millard and Ross D. LeClaire, "Ricin and Related Toxins: Review and Perspective" in *Chemical Warfare Agents: Chemistry, Pharmacology, Toxicology, and Therapeutics, Second Edition*, James A. Romano, Jr., Brian J. Lukey, and Harry Salem, Eds. (Boca Raton, FL: CRC Press), 2008.

¹⁶ David R. Franz and Nancy K. Jaax, op. cit.

¹⁷ Raymond Zilinskas, "Iraq's Biological Weapons: the Past as Future?" *Journal of the American Medical Association*, 1997, Vol. 278, pp. 418-424.

¹⁸ Examples of such cases can be found in *Special Report on Ricin*, James Martin Center for Nonproliferation Studies, February 29, 2008; and in *Toxic Terror: Assessing Terrorist Use of Chemical and Biological Weapons*, Jonathan B. Tucker, Ed. (Cambridge, MA: MIT Press) 2000.

¹⁹ United States Attorney, District of Nevada, U.S. Department of Justice, "Man Who Possessed Ricin and Unregistered Firearm Silencers in Las Vegas Hotel Room Sentenced to 3 ½ Years in Prison," *News Release*, November 17, 2008.

addressed to the Department of Transportation was intercepted, and in November 2003, the U.S. Secret Service reportedly intercepted an envelope containing ricin addressed to the White House.²⁰ In February 2004, ricin was detected in the Dirksen Senate Office Building in the mailroom of Senator Frist.²¹

Additionally, trace amounts of ricin were reportedly found in various locales in Afghanistan,²² and an insurgent group in Iraq reportedly attempted to acquire ricin.²³

Ricin as a Weapon of Terror Rather than Mass Destruction

Many experts believe that ricin would be difficult to use as a weapon of mass destruction. Ricin needs to be injected, ingested, or inhaled by the victim to injure.²⁴ Biological weapons experts estimate that 8 metric tons would be required to cover a 100 km² area with enough toxin to kill 50% of the people. Thus, using ricin to cause mass casualties becomes logistically impractical even for a well-funded terrorist organization.²⁵ Furthermore, some experts have stated that the required preparatory steps to use ricin as a mass casualty weapon also pose significant technical barriers that may preclude such use by non-state actors.²⁶

Although causing mass casualties would be difficult, many experts agree that ricin could be a formidable weapon if used in small-scale attacks.²⁷ The Centers for Disease Control and Prevention have listed ricin as a Category B Agent because it would be moderately easy to disseminate and result in moderate morbidity rates and low mortality rates.²⁸ Although a string of attacks targeting dozens of victims at a time may not produce mass devastation, they might instill terror in the population, causing local economic disruption.

²⁰ Federal Bureau of Investigation, U.S. Department of Justice, "Ricin Letter," *Press Release*, February 23, 2004. See also, Dan Eggen, "Letter With Ricin Vial Sent to White House," *Washington Post*, February 4, 2004.

²¹ "Frist: Ricin Confirmed, but No Illness Reported," *CNN.com*, February 4, 2004.

²² Jonathan Weisman, "Possible Anthrax Lab Unearthed Near Kandahar," *USA Today*, March 25, 2002.

²³ Charles Duelfer, Special Advisor to the Director of Central Intelligence, *Comprehensive Revised Report with Addendums on Iraq's Weapons of Mass Destruction*, (Washington, DC: Government Printing Office, September 2004), Vol. 1, p. 5.

²⁴ Some analysts have suggested that ricin may be converted into a contact poison when combined with a solvent that can penetrate the skin. Reportedly, the Minnesota Patriots Council planned to use this delivery method. See Jonathan B. Tucker and Jason Pate, *op. cit.*

²⁵ Mark Kortepeter and Gerald Parker, "Potential Biological Weapons Threats," *Emerging Infectious Diseases*, Vol. 5, No. 4, July-August 1999, pp. 523-527.

²⁶ Office of Technology Assessment, *Technologies Underlying Weapons of Mass Destruction*, OTA-BP-ISC-115, (Washington, DC: Government Printing Office, December 1993), p. 82.

²⁷ *Ibid.* For more on small-scale chemical and biological terrorist attacks, see CRS Report RL32391, *Small-scale Terrorist Attacks Using Chemical and Biological Agents: An Assessment Framework and Preliminary Comparisons*, by (name redacted) and (name redacted).

²⁸ See Lisa D. Rotz, Ali S. Khan, Scott R. Lillibridge, et al., "Public Health Assessment of Potential Biological Terrorism Agents," *Emerging Infectious Disease*, Vol. 8, February 2002, pp. 225-230.

Current Regulation

Ricin is considered both a biological and a chemical weapon, and international treaties explicitly prohibit its use. The United States is a party to both the Biological Weapons Convention and the Chemical Weapons Convention. The Biological Weapons Convention bans the development, production, and stockpiling of biological agents or toxins for non-peaceful purposes. The Chemical Weapons Convention bans the development, production, stockpiling, transfer, and use of chemical weapons. The United States has entered into multilateral agreements to prevent the development of both chemical and biological weapons by other nations and terrorist groups.²⁹

Congress has enacted several statutes to prohibit the misuse of ricin. The Antiterrorism and Effective Death Penalty Act of 1996 (P.L. 104-132) directed the Department of Health and Human Services to establish a list of biological agents and toxins that could threaten public health and safety, procedures for governing the transfer of those agents, and training requirements for entities working with these “select agents.” The Department of Health and Human Services lists ricin as a select agent (42 C.F.R. 73), and restricts possession, transfer, and use of ricin under the Public Health Security and Bioterrorism Preparedness Act of 2002 (P.L. 107-188).³⁰ The USA PATRIOT Act (P.L. 107-56) limits ricin access to select bona fide researchers who must undergo background investigation by the Federal Bureau of Investigation. Also, facilities containing ricin above certain thresholds must register with the Department of Health and Human Services and maintain certain security measures. It is not illegal to possess or transfer castor beans, nor castor bean plants; only the isolated ricin is regulated. Both castor beans and castor bean plants are openly sold within the United States, and castor bean plants grow naturally in the southwest.

Author Contact Information

(name redacted)
Specialist in Science and Technology Policy
-redacted-@crs.loc.gov, 7-....

(name redacted)
Specialist in Science and Technology Policy
-redacted-@crs.loc.gov, 7-....

²⁹ For more information on this topic, see CRS Report RL31559, *Proliferation Control Regimes: Background and Status*, coordinated by Mary Beth Nikitin.

³⁰ For more information on laws and regulations related to potential biological terrorism agents, see CRS Report RL32220, *Biological and Chemical Weapons: Criminal Sanctions and Federal Regulations*, by (name redacted).

EveryCRSReport.com

The Congressional Research Service (CRS) is a federal legislative branch agency, housed inside the Library of Congress, charged with providing the United States Congress non-partisan advice on issues that may come before Congress.

EveryCRSReport.com republishes CRS reports that are available to all Congressional staff. The reports are not classified, and Members of Congress routinely make individual reports available to the public.

Prior to our republication, we redacted names, phone numbers and email addresses of analysts who produced the reports. We also added this page to the report. We have not intentionally made any other changes to any report published on EveryCRSReport.com.

CRS reports, as a work of the United States government, are not subject to copyright protection in the United States. Any CRS report may be reproduced and distributed in its entirety without permission from CRS. However, as a CRS report may include copyrighted images or material from a third party, you may need to obtain permission of the copyright holder if you wish to copy or otherwise use copyrighted material.

Information in a CRS report should not be relied upon for purposes other than public understanding of information that has been provided by CRS to members of Congress in connection with CRS' institutional role.

EveryCRSReport.com is not a government website and is not affiliated with CRS. We do not claim copyright on any CRS report we have republished.